



PRODUCT DATA SHEET

GulfSea ATF III

High performance Automatic Transmission Fluid

Product Description

GulfSea ATF III is a high performance automatic transmission fluid for all General Motors and Ford automatic transmissions requiring DEXRON®-III G or MERCON® quality fluids respectively. The specially selected performance additives and base oils in this oil proved improved thermo-oxidative stability, friction retention properties, corrosion & rust protection, foam control and seal compatibility. It exceeds the performance requirements of General Motors DEXRON® III G and Ford MERCON® specifications.

Features & Benefits

- Improved thermo-oxidative stability, wear protection and resistance to chemical deterioration protect against degradation at high operating temperatures and helps in maintaining the efficiency of the transmission system.
- Extremely high Viscosity index ensures adequate lubrication in both high operating & low starting temperatures.
- Controlled frictional properties provide smooth transmission and good shift performance.
- Better foam control leads to smooth & lasting shift feel and reduces fluid loss.
- Provides improved protection against rust and corrosion.
- Superior Low temperature pumpability and circulation ensures good cold start performance.
- Compatibility with all common seal materials reduces possibility of oil leakage.

Applications

- Recommended for all vehicles of Ford requiring MERCON® quality fluids and General Motors requiring DEXRON®-III G quality fluids.
- Being back serviceable, it is also recommended for automatic transmissions requiring General Motors DEXRON® II E or DEXRON® II D fluids.
- Also recommended for power steering systems, hydraulic applications and certain manual transmissions where such type of fluids are specified.

Typical Properties

GulfSea ATF III		
Meets the following Specification		
Former General Motors DEXRON® III G		
Former Ford MERCON®		
Typical Properties		
Test Parameters	ASTM Method	Test Values
Viscosity @ 100 °C, cSt	D 445	7.9
Viscosity Index	D 2270	168
Flash Point, °C	D 92	184
Pour Point, °C	D 97	-40
Brookfield Viscosity @ -40 0C, cP	D 2983	17900
Density @ 15°C, Kg/l	D 1298	0.827

July 2014

Due to continual product research and development, the information contain herein is subject to change without notification.
Typical Properties may vary slightly