

Product name:	GulfSea ATF III	Page:	1/5
Revision Date:	14/02/2017	Revision nr:	3
Product No.:	2ME5010	Supersedes:	25/07/2014

1. Identification of the product and the company

Trade name : GulfSea ATF III

Use : Automatic Transmission Fluid

Company identification : Gulf Oil Marine Ltd. 13th Floor, Fortis Tower, No. 77-79 Gloucester Road,

Wan Chai, Hong Kong

Tel: (852) 3693 0568 Fax: (852) 3748 9960 www.gulf-marine.com

Emergency phone nr : Tel: (852) 3693 0568

Company : As above

2. Information on ingredients

This product is not considered to be hazardous and contains hazardous components.

Substance name		Value (s)	CAS nr	EINECS nr	EC index	CERTIFCATE
Methacrylate copolymer	:	4.2 - 8.4 %				Xi; R36
Alkoxylated long chain alkyl amine	:	< 0.7 %				Xn; R22 C; R34 R43
Allyl methacrylate	:	< 0.1 %	96-05-9			Xi; R36/37/38 R43 N; R50-53
Alkyl alkoxy amine	:	< 0.1 %				C; R34 N; R50-53
Long-chain alkyl dithiothiadiazole	:	< 0.1 %				R43
Substituted hydrocarbyl sulfide	:	0.58 1.16 %				N; R51-53
Ethoxylated amine	:	< 0.15 %		500-149-6		Xn; R22 C; R34 R43 N; R50
Alkenyl imidazoline	:	< 0.15 %		248-248-0		Xn; R22 C; R34 R43 N; R50-53
Diphenylamine	:	< 0.1 %	122-39-4	204-539-4	612-026-00-5	T; R23/24/25 R33 N; R50-53

3. Hazards identification

Main hazards : Classified as a dangerous preparation according to Directive

1999/45/EC.

Environmental hazards : Harmful to aquatic organisms. May cause long-term adverse effects in

the aquatic environment.

Note: : May cause sensitization by skin contact.



Product name:	GulfSea ATF III	Page:	2/5
Revision Date:	14/02/2017	Revision nr:	3
Product No.:	2ME5010	Supersedes:	25/07/2014

4. First aid measures

First aid

- Inhalation : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Get medical attention if symptoms

appear.

- **Skin contact** : Wash with soap and water. Get medical attention if irritation occurs.

- Eye contact : In case of contact, immediately flush eyes with plenty of water for at least

15 minutes. Get medical attention immediately.

- Ingestion : If affected person is fully conscious, give one glass of water to drink. Never

give anything by mouth to an unconscious person. Get medical attention if

symptoms appear.

5. Fire - fighting measures

Extinguishing media

In case of fire, use water spray (fog), foam, dry chemical, or CO2.

Special exposure hazards Special procedures : None under normal conditions.

: Fire fighters should wear positive pressure self-contained breathing

apparatus (SCBA) and full turnout gear.

6. Accidental release measures

Personal precautions : Immediately contact emergency personnel. Keep unnecessary personnel

away.

Use suitable protective equipment (Section 8). Follow all fire fighting

procedures (Section 5).

Environmental precautions : If emergency personnel are unavailable, contain spilled material. For

small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Minimize contact of

spilled material with soils to prevent runoff to surface waterways.

7. Handling and storage

Storage : Keep container tightly closed. Keep container in a cool, well-ventilated

area.

Handling : Do not ingest. Avoid breathing vapor or mist. Keep container closed. Use

only with adequate ventilation. Wash thoroughly after handling.

8. Exposure controls / personal protection

Personal protection

- Respiratory protection : Use appropriate respiratory protection if there is the potential to exceed

the exposure limit(s).

- Hand protection Use chemical resistant, impervious gloves.

- Skin protection : Disposable outer garments when there is the potential for contact with

the material.

- Eye protection Safety glasses with side shields. Goggles with a face shield may be

necessary depending on quantity of material and conditions of use.

Occupational Exposure Limits

United Kingdom

: TWA: 5 mg/m3 - 8 hour(s)



Product name:	GulfSea ATF III	Page:	3/5
Revision Date:	14/02/2017	Revision nr:	3
Product No.:	2ME5010	Supersedes:	25/07/2014

9. Physical and chemical properties

 Physical state
 : Liquid

 Colour
 : Red

 Odour
 : Mild

 Viscosity at 100°C [mm²/s]
 : 7.9

 Flash point [°C] (ASTM D 92)
 : 188

 Specific gravity
 : 0.83

10. Stability and reactivity

Physico-chemical stability : Stable.

Conditions to avoid : High temperatures, sparks, and open flames.

Materials to avoid : Strong oxidizing and reducing agents.

Hazardous decomposition

products

These products are carbon oxides (CO, CO2).

11. Toxicological information

Acute toxicity

- Inhalation : Inhalation of oil mist or vapors at elevated temperatures may cause

respiratory irritation.

- **Dermal** : Non-irritating to the skin. Repeated or prolonged contact with the

preparation may cause removal of natural fat from the skin, resulting in

non-allergic contact dermatitis and absorption through the skin.

- Ingestion : Not determined.

Chronic toxicitySensitizationNot expected to be toxic.May cause sensitization.

- Carcinogenicity : Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

- Mutagenicity : Not expected to be a mutagenic hazard.

12. Ecological information

Ecological effects information : Harmful to aquatic organisms. May cause long-term adverse effects in the

aquatic environment. Based on calculation. This product contains

components which may be persistent in the environment.

13. Disposal considerations

Disposal : Waste must be disposed of in accordance with federal, state

and local environmental control regulations.

14. Transport information

General information : The product is not covered by international regulations on the transport of

dangerous goods (IMDG, IATA, ADR/RID).

UN No. : Not regulated.
ADR/RID : Not regulated.
IMO-IMDG code : Not regulated.
ICAO/IATA : Not regulated.



Product name:	GulfSea ATF III	Page:	4/5
Revision Date:	14/02/2017	Revision nr:	3
Product No.:	2ME5010	Supersedes:	25/07/2014

15. Regulatory information

Symbol(s) : Irritant.

R Phrase(s) : R43 : May cause sensitization by skin contact.

R52/53: Harmful to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

S Phrase(s) : S2 : Keep out of the reach of children.

S37: Wear suitable gloves.

S46: If swallowed seek medical advice immediately and show this

container or label

16. Other information

R-phrases listed in chapter 2 : R22 : Harmful if swallowed.

R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.

R33: Danger of cumulative effects.

R34 : Causes burns. R36 : Irritating to eyes.

R36/37/38: Irritating to eyes, respiratory system and skin.

R43: May cause sensitization by skin contact.

R50: Very toxic to aquatic organisms.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects

in the aquatic environment.

Product information : For specific or detailed technical data for this product, please

contact your local sales representative.

Note : To the best of our knowledge and belief, the information and

recommendations provided in this MSDS are correct. We make no warranty whatsoever, expressed o implied of merchantability or fitness for the particular purpose, regarding the accuracy of such data or the results to be obtained from the use thereof. We do not assume any liability for consequences of the uses of this information since it may be

applied under conditions beyond our control or knowledge. The

information is furnished on the condition that the recipients shall make their own decision as to safety and suitability of the material for their purposes. We will not be responsible for damages of any nature

resulting from the use or reliance upon the information and recommendations. If you have purchased this product for supply to a

third party, it is your duty to pass on to that third party the information given in this Data Sheet. If the third party is not an employer it is his duty to pass the information given in the Data Sheet to the employer of whoever uses or handles this product. It is an employer's duty to advise and instruct his employees handling this product (and others who may be

affected), of any hazards described in the Data Sheet and of any precautions which should be taken to ensure safe handling of the

product.

The contents and format of this MSDS are in accordance with EEC Commission Directive 93/112/EEC.

DISCLAIMER OF LIABILITY



Product name:	GulfSea ATF III	Page:	5/5
Revision Date:	14/02/2017	Revision nr:	3
Product No.:	2ME5010	Supersedes:	25/07/2014

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document