

Product name:	GulfSea Gear B	Page:	1/5
Revision Date:	14/02/2017	Revision nr:	3
Product No.:	2ME1000	Supersedes:	25/07/2014

1. Identification of the product and the company

Trade name Gulf Sea Gear B (SAE 80W-90)

Axle Oil Use

Gulf Oil Marine Ltd. 13th Floor, Fortis Tower, No. 77-79 Gloucester Road, Company identification

Wan Chai, Hong Kong

Tel: (852) 3693 0568 Fax: (852) 3748 9960 www.gulf-marine.com

Emergency phone nr Tel: (852) 3693 0568

2. Information on ingredients

This product is not considered to be hazardous but contains hazardous components.

Composition of the preparation Mixture of highly refined mineral base oils (PCA-content < 3 % - IP 346)

and additives.

Substance name		Value (s)	CAS nr	EINECS nr	EC index	CERTIFCATE
Alkyl dithiophosphat	:	0.5 - 1 %				
Alkyl phosphonate	:	0.5 - 1 %				Xi; R38-41 N; R51-53
Alkyl amine	:	0.2 - 0.6 %				Xn; R22 C; R34 N; R50
Alkyl phosphate	:	0.2 - 0.6 %				C; R34
Long-chain alkenyl amine	:	0.2 - 0.6 %				Xn; R22 C; R35 N; R50
3a,4,7,7a-tetrahydro-4,7- methanoindene	:	0.01 - 0.05 %	77-73-6	201-052-9	601-044-00-9	F; R11 Xn; R20/22 Xi; R36/37/38 N; R51-53

Other information : See section 16 for full text of all R-phrases.

3. Hazards identification

Classification of the substance or

preparation

Not a dangerous preparation according to 1999/45/EC.

Most important adverse

physicochemical effects

Most important adverse human health

effects

Most important adverse environmental effects

Symptoms relating to uses and possible misuses of the preparation

Other hazards

No adverse hazards.

None under normal conditions.

No specific risk for the environment.

None under normal conditions.

Avoid prolonged contact with used oil. Overexposure to oil mist cause

respiratory irritations. Oil mist deposited on surfaces may cause slip

hazard.



Product name:	GulfSea Gear B	Page:	2/5
Revision Date:	14/02/2017	Revision nr:	3
Product No.:	2ME1000	Supersedes:	25/07/2014

4. First aid measures

First aid

- Inhalation : Assure fresh air breathing. Obtain medical attention if breathing difficulty

persists.

- Skin contact : Remove affected clothing and wash all exposed skin area with mild soap

and water, followed by warm water rinse. Seek medical attention if irritation

develops.

- Eye contact : Rinse immediately with plenty of water. Seek medical attention if irritation

develops

- Ingestion : DO NOT INDUCE VOMITING. Seek medical attention immediately.

Other Information : If there is any suspicion of aspiration into the lungs either directly or as a

result of vomiting, obtain medical advice.

5. Fire - fighting measures

Suitable extinguishing media

Extinguishing media which shall

not be used

Special exposure hazards

Surrounding fires

Combustion products/ resulting gases

Special protective equipment for

fire-fighters

Dry chemical. Water fog. Foam. Carbon dioxide. Sand.

Do not use a heavy water stream.

Use water spray or fog for cooling exposed containers.

Under fire conditions, hazardous fumes will be present.

Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA).

6. Accidental release measures

Personal precautions : Keep public away from danger area. Wear recommended personal

protective equipment. Equip cleanup crew with proper protection.

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if liquid enters

sewers or public waters.

Cleaning methods : Clean up any spills as soon as possible, using an absorbent material to

collect it. Collect spills and put it into appropriated container. Use suitable disposal containers. Recover the cleaning water for disposal. Spill area may

be slippery.

7. Handling and storage

Precautions in handling and

storage Storage

General

No naked lights. No smoking. Keep away from sources of ignition.

Handle in accordance with good industrial hygiene and safety procedures.

Keep container closed when not in use. Keep at temperature not exceeding 45℃. Keep only in the original container in a cool, well

ventilated place.

Handling : Wash hands and other exposed areas with mild soap and water before eat,

drink or smoke and when leaving work.

Specific use(s) : Gear Oil



Product name:	GulfSea Gear B	Page:	3/5
Revision Date:	14/02/2017	Revision nr:	3
Product No.:	2ME1000	Supersedes:	25/07/2014

8. Exposure controls / personal protection

Exposure limit values

Occupational Exposure Limits According to TWA (TLV) ACGIH: 3 mg/m³ for oil mist.

No special respiratory protection equipment is recommended under normal - Respiratory protection

conditions of use with adequate ventilation.

- Hand protection Use neoprene or rubber gloves.

Safety glasses. - Eye protection

- Skin protection No special clothing/skin protection equipment is recommended under

normal conditions of use.

Specific hygiene measures Provide local exhaust or general room ventilation to minimize dust and/or

vapour concentrations. When using, do not eat, drink or smoke. Emergency

eye wash fountains and safety showers should be available in the

immediate vicinity of any potential exposure.

Environmental exposure controls See sections 6, 7, 12, 13.

9. Physical and chemical properties

General Information

Liquid Physical state Amber Colour Mild Odour -30 Important health, safety and

environmental information

0.891 Viscosity at 100°C [mm²/s] 15 Flash point [°C] (ASTM D 92) Other information 210

10. Stability and reactivity

Stability of the preparation Stable under normal condition.

Hazardous reactions No hazardous reaction at ambient temperatures.

Open flame. Sparks. Overheating. Conditions to avoid Oxidizing agents. Strong acids, bases. Materials to avoid

Hazardous decomposition

products

None under normal conditions.



Product name:	GulfSea Gear B	Page:	4/5
Revision Date:	14/02/2017	Revision nr:	3
Product No.:	2ME1000	Supersedes:	25/07/2014

11. Toxicological information

Routes of exposure

Acute Effects
- Inhalation

Inhalation, ingestion, skin contact, eye contact

: Practically non toxic at normal conditions of usage. May cause

respiratory irritation following prolonged or repeated inhalation of

excessive oil mist and vapours.

- Ingestion : Practically non toxic if swallowed in small doses. Larger quantities may

cause nausea & diarrhoea.

- **Skin contact** : Not expected to be a primary skin irritant. Prolonged or repeated exposure

may lead to dermatitis.

- Eye contact : May cause mild, short-lasting discomfort to eyes. Based on test data for

structurally similar materials.

- **Sensitization** : No sensitization effects known.

Repeated dose toxicity
 Chronic/ other effects
 No data available.
 No data available.
 No data available.

- Mutagenicity : Not expected to be a mutagenic hazard.

- Reproductive toxicity : No data available.

12. Ecological information

Ecological effects information: No specific risk for the environment.

Ecotoxicity : Not expected to be toxic.

MobilityGround water contamination may be caused through spillages.Persistence and degradabilityBase oil component - Expected to be inherently biodegradable.Bioaccumulative potentialNot determined

Results of PBT assessment : Not determined.

Other adverse effects : None identified.

13. Disposal considerations

Waste disposal : S61 : Avoid release to the environment. Refer to special instructions/Safety

data sheets. Dispose in a safe manner in accordance with local/national

regulations.

Waste-disposal procedures

Industrial waste number (EURAL)

Contaminated packaging

See Directive 2001/118/EC.

13 02 05 - mineral-based non-chlorinated engine, gear and lubricating oils.

Do not attempt to refill or clean containers without proper instructions. Do not cut, pressurise, weld, braze, solder, drill, grind or expose such containers to the heat, flame, sparks, static electricity or other sources of

ignition. They may explode and cause injury or death.

14. Transport information

General information The product is not covered by international regulations on the transport of

dangerous goods (IMDG, IATA, ADR/RID).

UN No. : Not regulated.
ADR/RID : Not regulated.
IMO-IMDG code : Not regulated.
ICAO/IATA : Not regulated.



Product name:	GulfSea Gear B	Page:	5/5
Revision Date:	14/02/2017	Revision nr:	3
Product No.:	2ME1000	Supersedes:	25/07/2014

15. Regulatory information

Symbol(s) : None.
R Phrase(s) : None.
S Phrase(s) : None.

Special Labeling : Material Safety Data Sheet available for professional users on request.

16. Other information

List of relevant R phrases contained in sections 2 and 3 of this document (for information

only).

R11 : Highly flammable.

R20/22: Harmful by inhalation and if swallowed.

R22: Harmful if swallowed.

R34 : Causes burns.

R35: Causes severe burns.

R36/37/38: Irritating to eyes, respiratory system and skin.

R38: Irritating to skin.

R41 : Risk of serious damage to eyes. R50 : Very toxic to aquatic organisms.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

Product information : For specific or detailed technical data for this product, please contact

your local sales representative.

Revision Indicators : None

Sources of key data used : CONCAWE and relevant EC Regulations

The contents and format of this MSDS are in accordance with Regulation (EC) Np 1907/2006 of the European Parliament and of the Council.

DISCLAIMER OF LIABILITY

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document